

SECTION 1

STUD ARC WELDING — INTRODUCTION

FOR INQUIRIES, TO PLACE ORDERS,
SERVICE AND TECHNICAL SUPPORT CONTACT
ANY OF THE FOLLOWING:

OFFICE: 216.904.4008

EMAIL: SALES@COMPLETESTUDWELD.COM



COMPANY PROFILE

Complete Stud Welding is engaged in the sales, rental, and support of stud welding products.

Our products include a full line of weld studs, standard and custom accessories, and a comprehensive line of stud welding equipment for rent and purchase.

We support our customers' by; providing and answering technical questions; providing in shop process support, training and troubleshooting; supplying equipment parts; and performing equipment repairs.

We take a long term approach to earning every customer's business and developing a mutually successful relationship. We believe that quality, delivery, price, support and service are paramount to earning every customer's business. We strive to provide the responsive, courteous, and accurate personalized service you deserve.

If you are looking to purchase stud welding equipment, we have the application expertise and equipment knowledge to recommend and explain the equipment options for your application(s). We believe this leads to the customer making an informed decision that is the best for their business at that point in time.

We appreciate the opportunity to work for you and appreciate every order we receive.

Feel free to contact us at any time on any day.

Thank you for your time and interest in Complete Stud Welding, Inc.



INTRODUCTION

Stud Welding - General

Stud Welding is a general term for joining a metal stud or similar part to a work piece. Welding can be done by a number of welding processes including ARC, Resistance, Friction and Percussion.

Of these processes, STUD ARC WELDING utilizes equipment and techniques unique to stud welding. The other processes use conventionally designed equipment with special tooling for stud welding.

The process technically known as STUD ARC WELDING is generally known as "STUD WELDING." STUD ARC WELDING methods, processes, equipment, weld studs, accessories and related products are covered in this product literature"

Stud Arc Welding

Stud Arc Welding is an arc welding process in which a stud or similar metal part can be end-joined to a work piece instantaneously. This process involves the same basic principles and metallurgical aspects as any other arc welding procedure.

Process Overview - The stud is placed (with a hand tool, weld gun or weld head) against the base metal, through the control of the stud welding equipment and the design of the stud; an arc is drawn which melts the base of the stud and a proportionate area of the base metal, the stud is then forced into the molten pool and held in place until the metals re-solidify. This high quality fusion weld is completed in milliseconds.

Stud ARC Welding Methods - The two stud welding methods are called ARC and Capacitor Discharge (usually "CD" for brevity). The difference between these two methods involves the Power Source used to provide the welding current / energy and the stud design.

The equipment required to STUD ARC WELD is composed of a direct current power supply, a weld gun or weld head and the weld cables.

Advantages

The Major advantages of STUD ARC WELDING are:

- Cost savings reduced labor time, materials and secondary operations.
- **Weld strength** weld is typically stronger than the stud and base material.
- Process single sided and split second cycle time
- Base metal minimal heating and warpage
- Base metal attachment to very thin metals
- Base metal no reverse side marking (CD Method)



STUD ARC WELDING - CHARACTERISTICS OF EACH METHOD

General Characteristics Of Each Method						
Characteristic	CD Stud Welding	ARC Stud Welding				
Source of Weld Power:	Rapid discharge of stored energy from bank of capacitors	Transformer-Rectifier				
		Inverter				
		Motor/Engine-Generator				
		Storage Battery				
Power Source Input Voltages:	110 Volt AC, Single Phase	230 Volt AC, Three Phase *				
	220 Volt AC, Single Phase	380 Volt AC, Three Phase				
		400 Volt AC, Three Phase				
		460 Volt AC, Three Phase *				
		575 Volt AC, Three Phase				
		* Limited single phase based power sources				
Typical Weld Tools:	Hand Held Weld Gun **					
	Mounted Weld Head ***					
** Auto feed options are available for both weld tools						
Typical Stud Diameters:	.080312"	.138 - 1.0"				
Maximum Diameter:	.460"	2.0"				
Shielding:	Shielding is not typically needed	Shielding is typically needed in the form of ceramic ferrule (most common) or gas				
Welding Position:	Down Hand					
	Side Hand (limited to 7/8" diameter)					
	Over Head (limited to 7/8" diameter)					
Specific Process for each Method:	Contact	ARC or Drawn ARC				
	Gap	Short Cycle (with or w/o gas)				
	Drawn ARC					



PROCESS SELECTION GUIDE

Factors To Be Considered	CD Processes		ARC Processes	
	Contact /Gap	Drawn ARC	Std. ARC	Short Cycle
Stud Shape:			•	
Round	Α	Α	Α	Α
Square	Α	Α	Α	Α
Rectangular	Α	Α	Α	Α
Other	Α	Α	Α	Α
Stud Weld Base Diameter:				
.060125" Dia.	Α	Α	N	L
.125250" Dia.	Α	Α	L	Α
.250430" Dia.	Α	Α	Α	Α
.430 - 1.00" Dia.	N	N	Α	L
1.00 - 2.00" Dia.	N	N	В	N
Up to 0.05 inch squared	Α	Α	L	Α
Over 0.05 inch squared	Ν	Ν	Α	L
Stud Material:				
Carbon Steel	Α	Α	Α	Α
Stainless Steel	A	A	A	A
Alloy Steel	Ĺ	L	A/B	A/B
Aluminum	A	В	В	L
Brass	A	A	L	L
Base Material:				
Carbon Steel	Α	A	A	Α
Stainless Steel	A	A	A	A
		L	A / B	A A A B
Alloy Steel Aluminum	A	В	В	A/B L
Brass	A	A	L	L
	7.	7.	_	_
Base Metal Thickness:				
Under .015"	A	В	N	N
.016030"	A	A	L	В
.031062"	A	A	L	A
.063125"	A	A	B A	A
Over .126"	А	А	А	А
Shielding:				
Ceramic Ferrule	N	N	Α	N
Gas	L	L	L	Α
Stud Type / Design:				
ARC	N	N	Α	L
CD (Capacitor Discharge)	Α	Α	L	Α
SC (Short Cycle)	N	N	В	Α
Design Criteria:				
Heat Effect on Material(s)	А	А	В	В
Weld Flash Clearance	A	A	В	В
Reverse Side Marking	A	A	N	L
Strength of Stud Rules	A	A	A	A
Strength Base Metal Rules	Α	Α	А	Α
Logand: A Applicable with suit	special presedures	uinment etc		
Legend: A - Applicable without				
B - Applicable with spe	cial techniques or on s	pecial applications.		



L - Limited application

N - Not recommended

PROCESS & STUD TYPE COMBINATION GUIDE

Stud Type / Style	CD Processes		ARC Processes				
	Contact /Gap	Drawn ARC	Std. Arc	Short Cycle			
ARC Weld Studs:							
Concrete Anchors	N	N	Α	N			
Threaded	N	N	Α	С			
No Thread	N	N	Α	С			
Tuffstudds	N	N	Α	N			
Debarking	N	N	Α	N			
Rectangular	N	N	Α	С			
Refractory *	N	N	Α	С			
* Some Refractory Anchor	s are suitable for hand	welding only					
CD Weld Studs:							
All CD Styles	А	А	С	A **			
** For smaller weld base diameters, results may not be acceptable for application requirements							
Insulation Pins:							
CD Weld Pins	A	A	С	Α			
CD Power Tip Weld Pins	Α	Α	В	Α			
Double Pointed Weld Pins	N	N	Α	В			
CD Cupped Head Weld	Α	N	Ν	N			
Pins							
Short Cycle Weld Studs	:						
All SC Styles	N	А	С	A **			
** For smaller weld base diameters, results may not be acceptable for application requirements							
Legend: A - Excellent r							
	B - Good results C - Results are often not acceptable for application requirements						
C - Results are	often not acceptable t mended and or suitable		ments				

For assistance in determining the best stud welding equipment options to meet the current and potential applications of your business, please contact your **Complete Stud Welding** sales representative.

